



SLURRY BLAST SERVICES

FOR MARINE/
OFFSHORE USAGE

- ELIMINATES ALL DUST
- REDUCES SOLUBLE SALT
- HIGH PRODUCTIVITY
- LOW WATER USAGE
- SPECIAL GRIT CONTROL VALVE
- SAFE AUTO OPERATION
- BUILT IN SINGAPORE



AVAILABLE SIZES FOR SALES



50KG GRITCAPACITY

- Runs With Special Water Injection # 5 Nozzle
- Air Consumption 160Cfm (76Ltrs/ Sec) @ 100Psi (7Bar)

136KG GRITCAPACITY

- Runs With Special Water Injection # 6 Nozzle
- Air Consumption 275Cfm (130Ltrs/ Sec) @ 100Psi (7Bar)



TECHNICAL DETAILS

- **AUTOMATIC DEADMAN TWIN LINE SYSTEM**
Handle activated by operator. Pot side Safety Switch.
- **AIR FILTER/DE-MOISTURIZER**
- **FITTED 20MTR BLAST HOST**
- **FINE CONTROL GRIT VALVE**
Prevents abrasive over-use
- **VENTURI INJECTION NOZZLE**
For low water usage at normal tap pressure supply
- **PRESSURE RELIEF VALVE**
- **INTERNAL MUSHROOM CONTROLLED POT PRESSURIZING SYSTEM**





OPTIONAL EXTRAS



- 20MTR FITTED EXTENSION
- BLAST HOSE
- AIR SUPPLY HOSE
- WATER SUPPLY HOSE
- WHIP CHECKS:
Hose Restraint Device